

- Aitcin, P.-C., 574  
Akindunni, F.F., 446  
Alfaro, M.C., 860  
Allard, M., 678  
Anderson, L.R., 860  
Aston, T.R.C., 327  
Atkinson, J.H., 255  
Baass, K., 172  
Baggott, B.L., 698  
Baghdadi, Z.A., 423  
Ballivy, G., 574, 668  
Barnes, G.E., 630  
Baumgrass, L., 140  
Bekkouche, N., 322  
Benmokrane, B., 574, 668  
Bennett, J.R., 639  
Bergado, D.T., 860  
Booker, J.B., 338  
Bouchard, R., 818  
Bovis, M.J., 463  
Bozozuk, M., 365, 468  
Broms, B.B., 200  
Budhu, M., 140  
Burak, J.B., 804  
Butler, R.C., 298  
Byrne, P.M., 638  
Campanella, R.G., 103, 113  
Campbell, G., 140  
Chan, D.H., 51  
Chandra, B., 639  
Chandra, S., 309  
Chang, M.F., 200, 210  
Chapuis, R.P., 172  
Chatterji, P.K., 794  
Chaudhari, S., 148  
Cherubini, C., 919  
Choubey, V.D., 148  
Chowdhury, R.N., 324  
Christiansen, E.A., 556  
Chugh, A.K., 323  
Clayton, C.R.I., 282  
Cooke, B., 160, 829  
Crawford, C.B., 103, 298, 468  
Cruden, D.M., 465  
Curran, J.H., 503  
Dallimore, S.R., 179  
Davachi, M.M., 698  
Davies, M.P., 173  
Dickin, E.A., 761  
Dionne, G., 678  
Dubé, J., 434  
Easa, S.M., 918  
Eigenbrod, K.D., 804  
Fernandez, F., 388  
Ferregut, C., 834  
Foriero, A., 523  
Franz, R.J., 316  
Fredlund, D.G., 189, 477  
Gallant, W.D., 327  
Garga, V.K., 650  
Ghaly, A., 353, 760  
Ghazali, F.M., 423  
Giese, Jr., R.F., 140  
Gill, D.E., 172  
Gillham, R.W., 446  
Goh, T.-C., 517  
Graham, J.P., 399  
Griffiths, F.J., 20  
Han, Y., 708  
Hanna, A., 353, 760  
Harris, M.C., 794  
Hartmaier, H.H., 698  
Haug, M.D., 784  
Hernandez, P., 574  
Heuff, D.N., 752  
Hewitt, K.J., 318  
Hiedra-Cobo, J.C., 282  
Hirai, H., 1  
Ho, K.S., 62, 74, 763  
Hornych, P., 365  
Hull, T.S., 729  
Imrie, A.S., 719  
Inculet, I.I., 62, 74  
Indraratna, B., 542  
Inoue, T., 517  
Jefferies, M.G., 173  
Jensen, O.G., 134  
Jha, A.K., 309  
Joshi, R.C., 20, 489  
Juárez-Badillo, E., 171, 466  
Judge, A.S., 134  
Kack, G.J., 794  
Kaiser, P.K., 226, 239  
Kamei, T., 1  
Karunaratne, G.P., 517  
Khan, A.M., 423  
Khan, M.A., 650  
Konrad, J.-M., 168, 304, 601, 690  
Koo, K.S., 542  
Kuganenthira, N., 542  
Kurfurst, P.J., 179  
La Rochelle, P., 690  
Lacerda, W.A., 92  
Ladanyi, B., 523  
LaFleche, P.T., 134  
LaFleur, J., 322  
Landva, A.O., 472  
Lau, W.H.W., 255  
Lavallée, J.G., 263  
Lee, C.Y., 729  
Lee, K.M., 25  
Lee, S.-L., 517  
Lefebvre, G., 263, 365  
Leonards, G.A., 316  
Leroueil, S., 678, 690, 818  
Leung, C.F., 761  
Levergood, J.C., 316  
Liu, W., 771  
Lo, K.Y., 62, 74, 763  
Locat, J., 473  
Long, L.G., 170  
Marcellus, R.W., 752  
McCammon, N.R., 298  
McCormick, G., 899  
Meyerhof, G.G., 909  
Misfeldt, G.A., 556  
Mitchell, R.J., 162, 746, 829  
Mohamed, A.M.O., 613  
Morgenstern, N.R., 51, 226, 239, 451, 457, 881  
Morin, P., 127  
Narod, B., 639  
Nicholson, R.V., 446  
Nixon, J.F., 399, 738, 843, 922  
Nnadi, G.N., 746  
Novak, M., 771  
Nutalaya, P., 542  
Ofoegbu, G.I., 503  
Palmer, A., 896  
Paquette, J., 263  
Pelli, F., 226, 239  
Pereira, C.P.G., 920  
Peters, J.E., 698  
Philibert, A., 365  
Picornell, M., 834  
Pinto da Cunha, R., 92  
Poulos, H.G., 729  
Powell, J.J.M., 255  
Pritchard, M.A., 410  
Proudfoot, D.W., 794

- Quigley, R.M., 388  
Rajani, B., 457  
Rao, S.M., 84  
Robertson, P.K., 113, 176, 474  
Roegiers, J.-C., 470  
Rosenberg, P., 263  
Rossato, G., 276  
Rowe, R.K., 25, 338  
Roy, M., 434, 690  
Roy, S., 434  
Saix, C., 42  
Sampaco, C.L., 860  
Sarkis, G., 322  
Sattler, P.J., 189  
Sauer, E.K., 556  
Saunders, R., 738, 922  
Savard, Y., 818  
Savigny, K.W., 410  
Sawicki, A., 11  
Schrivver, A.B., 812  
Sego, D.C., 451, 881  
Shaller, P.J., 584  
Sheremata, T.W., 378  
Shivashankar, R., 860  
Silvestri, V., 322, 660  
Simonini, P., 276  
Sinclair, B.J., 698  
Singh, R.P., 309  
Singh, Y.P., 309  
Sladen, J.A., 318  
Smith, J., 738, 922  
Smith, L.B., 399  
Soulié, M., 322, 660  
Srithar, T., 638  
Sullivan, T.M., 316  
Swinianski, J., 11  
Symons, I.F., 282  
Tadepalli, R., 477  
Tali, R.G., 613  
Tan, T.-S., 517  
Tardif, J., 690  
Thomas, R.R., 794  
Thompson, G.R., 170  
Todeschuck, J.P., 134  
Touileb, B.N., 660  
Trowsdale, D.R., 794  
Valsangkar, A.J., 812  
Vaziri, H.H., 638, 708  
Washuta, A.S., 399  
Wijeweera, H., 489  
Windisch, E.J., 320  
Windisch, É.J., 903  
Wong, L.C., 784  
Wong, T.T., 451, 881  
Woodbury, A.D., 639  
Yalcin, A.S., 909  
Yong, R.N., 84, 378, 613  
Yoshida, N., 51  
Zhang, S., 324  
Zhao, X.L., 470

A. General

04. *Textbooks, Handbooks, and Periodicals*

- Geotechnology of waste management. Landva, A.O., 472  
The late Quaternary development of the Champlain Sea Basin. Locat, J., 473  
Field testing in engineering geology. Robertson, P.K., 474  
Green marine clays. Pereira, C.P.G., 920

B. Geological and Environmental Aspects

01. *Formation Soils and Rocks*

- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia. Chang, M.F., 210  
Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719

02. *Hydrogeological Aspects*

- Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189  
Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320  
Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322  
Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills. Rowe, R.K., and Booker, J.B., 338  
Effect of chloride ions on adsorption of cadmium from a landfill leachate. Yong, R.N., and Sheremata, T.W., 378  
Controlling the destructive effects of clay – organic liquid interactions by application of effective stresses. Fernandez, F., and Quigley, R.M., 388  
Numerical simulations to investigate moisture-retention characteristics in the design of oxygen-limiting covers for reactive mine tailings. Akindunni, F.F., Gillham, R.W., and Nicholson, R.V., 446  
Temperature measurements in geotechnical studies using low-noise, high-resolution digital techniques. Woodbury, A.D., Narod, B., Chandra, B., and Bennet, J.R., 639

03. *Mass Movements and Land Subsidence*

- Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit. da Cunha, R.P. and Lacerda, W.A., 92  
The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263  
The Heather Hill landslide: an example of a large scale topping failure in a natural slope. Pritchard, M.A., and Savigny, K.W., 410  
Limits to common toppling: Discussion. Bovis, M.J., 463  
Limits to common toppling: Reply. Cruden, D.M., 465  
The Hepburn landslide: an interactive slope-stability and seepage analysis. Misfeldt, G.A., Sauer, E.K., and Christiansen, E.A., 556  
Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. Shaller, P.J., 584

05. *Climatic Conditions*

- Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189  
Freezing and thawing indices in northern Canada. McCormick, G., 899

06. *Submarine Geological Aspects*

- Hibernia geotechnical investigation and site characterization: Discussion. Konrad, J.-M., 168  
Hibernia geotechnical investigation and site characterization: Reply. Thompson, G.R., and Long, L.G., 170  
Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179

07. —

- Hibernia geotechnical investigation and site characterization: Discussion. Konrad, J.-M., 168  
Hibernia geotechnical investigation and site characterization: Reply. Thompson, G.R., and Long, L.G., 170

<sup>1</sup> Based on the International Geotechnical Classification System (IGC) as revised 1981.

08. *Extraterrestrial Soil and Rock Conditions*  
The Hepburn landslide: an interactive slope-stability and seepage analysis. Misfeldt, G.A., Sauer, E.K., and Christiansen, E.A., 556  
Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. Shaller, P.J., 584
09. *Geomorphologic Aspects and Terrain Classification*  
Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179  
Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. Shaller, P.J., 584  
Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 738  
Erratum: Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 922
10. *Mineralogical Aspects*  
Green marine clays. Pereira, C.P.G., 920
11. *Description of Regional Soil and Rock Conditions*  
Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179  
Design of bored piles in residual soils based on field-performance data. Chang, M.F., and Broms, B.B., 200  
The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263  
Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch, É.J., 320  
Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322  
The Heather Hill landslide: an example of a large scale topping failure in a natural slope. Pritchard, M.A., and Savigny, K.W., 410  
The Hepburn landslide: an interactive slope-stability and seepage analysis. Misfeldt, G.A., Sauer, E.K., and Christiansen, E.A., 556  
Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. Shaller, P.J., 584  
Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719
12. *Other Environmental Aspects*  
Mechanistic evaluation of mitigation of petroleum hydrocarbon contamination by soil medium. Yong, R.N., and Rao, S.M., 84  
Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills. Rowe, R.K., and Booker, J.B., 338  
Effect of chloride ions on adsorption of cadmium from a landfill leachate. Yong, R.N., and Sheremata, T.W., 378  
Controlling the destructive effects of clay – organic liquid interactions by application of effective stresses. Fernandez, F., and Quigley, R.M., 388  
Numerical simulations to investigate moisture-retention characteristics in the design of oxygen-limiting covers for reactive mine tailings. Akindunni, F.F., Gillham, R.W., and Nicholson, R.V., 446  
Physical modelling of a dissolved contaminant in an unsaturated sand. Cooke, B., and Mitchell, R.J., 829

### C. Site Investigations

02. *Geophysical Surveys*  
Analysis of ground-probing radar data: predictive deconvolution. LaFleche, P.T., Todoeschuck, J.P., Jensen, O.G., and Judge, A.S., 134  
Computer simulation of crosswell seismic propagation and determination of elastic parameters. Singh, R.P., Chandra, S., Jha, A.K., and Singh, Y.P., 309  
Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 738  
Erratum: Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 922
03. *Probing (Soundings)*  
Use and interpretation of a research dilatometer. Campanella, R.G., and Robertson, P.K., 113  
*In situ* tests in a sand dune. Konrad, J.-M., 304
04. *Visual Exploration Techniques*  
Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698  
Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 738  
Erratum: Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 922
05. *Boring Techniques and Equipment*  
*In situ* tests in a sand dune. Konrad, J.-M., 304  
The Nerlerk berm case history: some considerations for the design of hydraulic sand fills. Konrad, J.-M., 601  
Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*  
 Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Incullet, I.I., 74  
 Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit. da Cunha, R.P. and Lacerda, W.A., 92  
 Comparison of field consolidation with laboratory and *in situ* tests. Crawford, C.B., and Campanella, R.G., 103  
 Analysis of ground-probing radar data: predictive deconvolution. LaFleche, P.T., Todoeschuck, J.P., Jensen, O.G., and Judge, A.S., 134  
 Soil classification by the cone penetration test: Discussion. Jefferies, M.G., and Davies M.P., 173  
 Soil classification using the cone penetration test: Reply. Robertson, P.K., 176  
 Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179  
 Interpretation of overconsolidation ratio from *in situ* tests in recent clay deposits in Singapore and Malaysia. Chang, M.F., 210  
 The influence of near face behavior on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226  
 An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 239  
 The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263  
 Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322  
 Evaluating  $K_0$  in Champlain clays with hydraulic fracture tests. Lefebvre, G., Bozozuk, M., Philibert, A., and Hornych, P., 365  
 Thirty years of secondary consolidation in sensitive marine clay: Discussion. Juárez-Badillo, E., 466  
 Thirty years of secondary consolidation in sensitive marine clay: Reply. Crawford, C.B., and Bozozuk, M., 468  
 Temperature measurements in geotechnical studies using low-noise, high-resolution digital techniques. Woodbury, A.D., Narod, B., Chandra, B., and Bennest, J.R., 639  
 Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters, J.E., 698  
 Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719  
 Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 738  
 The effects of electroosmotic field treatment on the soil properties of a soft sensitive clay. Lo, K.Y., and Ho, K.S., 763  
 Comportement de la membrane d'argile d'un étang aéré en région froide. Leroueil, S., Savard, Y., et Bouchard, R., 818  
 Erratum: Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 922
08. *Field Testing (excl. Tests for Engineering Properties, see Groups D and F)*  
 Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Incullet, I.I., 74  
 Use and interpretation of a research dilatometer. Campanella, R.G., and Robertson, P.K., 113  
 Analysis of ground-probing radar data: predictive deconvolution. LaFleche, P.T., Todoeschuck, J.P., Jensen, O.G., and Judge, A.S., 134  
 Soil classification by the cone penetration test: Discussion. Jefferies, M.G., and Davies M.P., 173  
 Soil classification using the cone penetration test: Reply. Robertson, P.K., 176  
 Computer simulation of crosswell seismic propagation and determination of elastic parameters. Singh, R.P., Chandra, S., Jha, A.K., and Singh, Y.P., 309  
 Temperature measurements in geotechnical studies using low-noise, high-resolution digital techniques. Woodbury, A.D., Narod, B., Chandra, B., and Bennest, J.R., 639  
 Effect of seafloor instability on offshore pile foundations. Lee, C.Y., Poulos, H.G., and Hull, T.S., 729
10. *Underwater Site Investigation*  
 Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179

#### D. Soil Properties: Laboratory and In-Situ Determinations

01. *Classification and Description of Soils*  
 Analysis of ground-probing radar data: predictive deconvolution. LaFleche, P.T., Todoeschuck, J.P., Jensen, O.G., and Judge, A.S., 134  
 Hibernia geotechnical investigation and site characterization: Discussion. Konrad, J.-M., 168  
 Hibernia geotechnical investigation and site characterization: Reply. Thompson, G.R., and Long, L.G., 170  
 Interpretation of overconsolidation ratio from *in situ* tests in recent clay deposits in Singapore and Malaysia. Chang, M.F., 210  
 Evaluating  $K_0$  in Champlain clays with hydraulic fracture tests. Lefebvre, G., Bozozuk, M., Philibert, A., and Hornych, P., 365  
 Thermal analysis of forced-air and thermosiphon cooling systems for the Inuvik airport expansion. Smith, L.B., Graham, J.P., Nixon, J.F., and Washuta, A.S., 399  
 On the yield stress of geotechnical materials from the slump test. Rajani, B., and Morgenstern, N., 457  
 Laboratory evaluation of  $K_0$  for overconsolidated clays. Garga, V.K., and Khan, M.A., 650
02. *Physico-Chemical Properties*  
 Consolidation thermique par chaleur d'un sol non saturé. Saix, C., 42



- Electroosmotic strengthening of soft sensitive clays. Lo, K.Y., Inculet, I.I., and Ho, K.S., 62
- Mechanistic evaluation of mitigation of petroleum hydrocarbon contamination by soil medium. Yong, R.N., and Rao, S.M., 84
- The permeability of soils with organic fluids. Budhu, M., Giese Jr., R.F., Campbell, G., and Baumgrass, L., 140
- Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills. Rowe, R.K., and Booker, J.B., 338
- Effect of chloride ions on adsorption of cadmium from a landfill leachate. Yong, R.N., and Sheremata, T.W., 378
- Controlling the destructive effects of clay – organic liquid interactions by application of effective stresses. Fernandez, F., and Quigley, R.M., 388
- Behaviour of cemented sandfills under repeated loadings. Nnadi, G.N., and Mitchell, R.J., 746
03. *Composition, Structure, Density, and Water Contents*
- Change in pore size distribution owing to secondary consolidation of clays. Griffiths, F.J., and Joshi, R.C., 20
- Finite-element analysis of softening effects in fissured, overconsolidated clays and mudstones. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 51
- Electroosmotic strengthening of soft sensitive clays. Lo, K.Y., Inculet, I.I., and Ho, K.S., 62
- Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Inculet, I.I., 74
- In situ* tests in a sand dune. Konrad, J.-M., 304
- Influence of placement method on the *in situ* density of hydraulic sand fills: Discussion. Leonards, G.A., Franz, R.J., Sullivan, T.M., and Levergood, J.C., 316
- Influence of placement method on the *in situ* density of hydraulic sand fills: Reply. Sladen, J.A., and Hewitt, K.J., 318
- Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320
- Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322
- The collapse behavior of a compacted soil during inundation. Tadealli, R., and Fredlund, D.G., 477
- Creep behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 489
- Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill. Indraratna, B., Notalaya, P., Koo, K.S., and Kuganenthira, N., 542
- The Nerlerk berm case history: some considerations for the design of hydraulic sand fills. Konrad, J.-M., 601
- Laboratory evaluation of  $K_0$  for overconsolidated clays. Garga, V.K., and Khan, M.A., 650
- Tassement et consolidation au dégel d'un silt argileux à Kangisualujuaq. Leroueil, S., Dionne, G., et Allard, M., 678
- Effects of frost on the mechanical behaviour of Champlain Sea clays. Leroueil, S., Tardif, J., Roy, M., La Rochelle, P., and Konrad, J.-M., 690
- Effective stress paths and pore-pressure responses during undrained shear along the bedding planes of varved Fort William Clay. Eigenbrod, K.D., Burak, J.B., 804
04. *Hydraulic Properties*
- Mechanistic evaluation of mitigation of petroleum hydrocarbon contamination by soil medium. Yong, R.N., and Rao, S.M., 84
- Use and interpretation of a research dilatometer. Campanella, R.G., and Robertson, P.K., 113
- Amélioration des mesures des propriétés de consolidation au laboratoire à l'aide du montage perméométrique. Morin, P., 127
- The permeability of soils with organic fluids. Budhu, M., Giese Jr., R.F., Campbell, G., and Baumgrass, L., 140
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Discussion. Juarez-Badillo, E., 171
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Reply. Chapuis, R.P., Gill, D.E., and Baass, K., 172
- Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189
- Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320
- Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322
- Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills. Rowe, R.K., and Booker, J.B., 338
- Evaluating  $K_0$  in Champlain clays with hydraulic fracture tests. Lefebvre, G., Bozozuk, M., Philibert, A., and Hornych, P., 365
- Controlling the destructive effects of clay – organic liquid interactions by application of effective stresses. Fernandez, F., and Quigley, R.M., 388
- The collapse behavior of a compacted soil during inundation. Tadealli, R., and Fredlund, D.G., 477
- The Nerlerk berm case history: some considerations for the design of hydraulic sand fills. Konrad, J.-M., 601
- Cyclical closed-system freeze-thaw permeability testing of soil liner and cover materials. Wong, L.C., and Haug, M.D., 784
- Use of drainage wicks for an embankment on slickensided clay. Kack, G.J., Harris, M.C., Chatterji, P.K., Proudfoot, D.W., Trowsdale, D.R., and Thomas, R.R., 794
- Comportement de la membrane d'argile d'un étang aéré en région froide. Leroueil, S., Savard, Y., et Bouchard, R., 818
- The hydraulics problem in slope stability analysis. Windisch, É.J., 903
05. *Compressibility and Swelling*
- A combined hardening model of anisotropically consolidated cohesive soils. Hirai, H., and Kamei, T., 1
- Change in pore size distribution owing to secondary consolidation of clays. Griffiths, F.J., and Joshi, R.C., 20
- Consolidation thermique par chaleur d'un sol non saturé. Saix, C., 42
- Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit. da Cunha, R.P., and Lacerda, W.A., 92

- Comparison of field consolidation with laboratory and *in situ* tests. Crawford, C.B., and Campanella, R.G., 103  
 Amélioration des mesures des propriétés de consolidation au laboratoire à l'aide du montage perméamétrique. Morin, P., 127  
 Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189  
 Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia. Chang, M.F., 210  
 Compressive strength and creep behavior of hydrate-consolidated sand. Cameron, I., Handa, Y.P., and Baker, T.H.W., 255  
 The pressure of clay backfill against retaining structures. Clayton, C.R.I., Symons, I.F., and Hiedra-Cobo, J.C., 282  
 Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouché, N., 322  
 Thirty years of secondary consolidation in sensitive marine clay: Discussion. Juárez-Badillo, E., 466  
 Thirty years of secondary consolidation in sensitive marine clay: Reply. Crawford, C.B., and Bozozuk, M., 468  
 The collapse behavior of a compacted soil during inundation. Tadepalli, R., and Fredlund, D.G., 477  
 Nonlinear stress analysis of muskeg via finite element. Yong, R.N., Mohamed, A.M.O., and Tali, R.G., 613  
 Erratum: Consolidation analysis of oil sand masses under applied temperature changes. Srihar, T., Byrne, P.M., and Vaziri, H.H., 638  
 Tassement et consolidation au dégel d'un silt argileux à Kangisualujuaq. Leroueil, S., Dionne, G., et Allard, M., 678  
 Effects of frost on the mechanical behaviour of Champlain Sea clays. Leroueil S., Tardif, J., Roy, M., La Rochelle, P., and Konrad, J.-M., 690  
 Effective stress paths and pore-pressure responses during undrained shear along the bedding planes of varved Fort William Clay. Eigenbrod, K.D., Burak, J.B., 804  
 Reliability analysis of drilled piers in expansive soils. Ferregut, C., and Picornell, M., 834  
 Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study. Bergado, D.T., Shivashankar, R., Sampaco, C.L., Alfaro, M.C., Anderson, L.R., 860
06. *Shear-Deformation and Strength Properties*  
 A combined hardening model of anisotropically consolidated cohesive soils. Hirai, H., and Kamei, T., 1  
 A model of soil-pile interaction owing to cyclic loading. Swinianski, J., and Sawicki, A., 11  
 An analysis of three-dimensional ground movements: the Thunder Bay tunnel. Lee, K.M., and Rowe, R.K., 25  
 Finite-element analysis of softening effects in fissured, overconsolidated clays and mudstones. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 51  
 Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Inculat, I.I., 74  
 Use and interpretation of a research dilatometer. Campanella, R.G., and Robertson, P.K., 113  
 Hibernia geotechnical investigation and site characterization: Discussion. Konrad, J.-M., 168  
 Hibernia geotechnical investigation and site characterization: Reply. Thompson, G.R., and Long, L.G., 170  
 Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia. Chang, M.F., 210  
 The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263  
 Stress-strain behaviour of sands in triaxial and direct simple shear tests. Rossato, G., and Simonini, P., 276  
 Influence of placement method on the *in situ* density of hydraulic sand fills: Discussion. Leonards, G.A., Franz, R.J., Sullivan, T.M., and Levergood, J.C., 316  
 Influence of placement method on the *in situ* density of hydraulic sand fills: Reply. Sladen, J.A., and Hewitt, K.J., 318  
 Experimental and theoretical studies on installation torque of screw anchors. Ghaly, A., and Hanna, A., 353  
 Model pile testing in carbonate sediments of the Red Sea. Baghdadi, Z.A., Ghazali, F.M., and Khan, A.M., 423  
 Comportement, en chambre triaxiale, d'un pieu à frottement dans l'argile. Roy, M., Roy, S., et Dubé, J., 434  
 Behaviour of broken ice as a geomaterial. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 451  
 On the yield stress of geotechnical materials from the slump test. Rajani, B., and Morgenstern, N., 457  
 Creep behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 489  
 Yielding and damage of intact rock. Ofoegbu, G.I., and Curran, J.H., 503  
 Yield stress measurement by a penetration method. Tan, T.-S., Goh, T.-C., Karunaratne, G.P., Inoue, T., and Lee, S.-L., 517  
 Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill. Indraratna, B., Nulalaya, P., Koo, K.S., and Kuganenthira, N., 542  
 Nonlinear stress analysis of muskeg via finite element. Yong, R.N., Mohamed, A.M.O., and Tali, R.G., 613  
 A simplified version of the Bishop and Morgenstern slope-stability charts. Barnes, G.E., 630  
 Erratum: Consolidation analysis of oil sand masses under applied temperature changes. Srihar, T., Byrne, P.M., and Vaziri, H.H., 638  
 Laboratory evaluation of  $K_0$  for overconsolidated clays. Garga, V.K., and Khan, M.A., 650  
 Effects of frost on the mechanical behaviour of Champlain Sea clays. Leroueil S., Tardif, J., Roy, M., La Rochelle, P., and Konrad, J.-M., 690  
 Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698  
 Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708  
 Behaviour of cemented sandfills under repeated loadings. Nnadi, G.N., and Mitchell, R.J., 746  
 The effects of electroosmotic field treatment on the soil properties of a soft sensitive clay. Lo, K.Y., and Ho, K.S., 763  
 Use of drainage wicks for an embankment on slickensided clay. Kack, G.J., Harris, M.C., Chatterji, P.K., Proudfoot, D.W., Trowsdale, D.R., and Thomas, R.R., 794

- Effective stress paths and pore-pressure responses during undrained shear along the bedding planes of varved Fort William Clay. Eigenbrod, K.D., Burak, J.B., 804
- Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study. Bergado, D.T., Shivashankar, R., Sampaco, C.L., Alfaro, M.C., Anderson, L.R., 860
07. *Dynamic Properties*
- A model of soil-pile interaction owing to cyclic loading. Swinianski, J., and Sawicki, A., 11
- Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit. da Cunha, R.P., and Lacerda, W.A., 92
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Discussion. Juarez-Badillo, E., 171
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Reply. Chapuis, R.P., Gill, D.E., and Baass, K., 172
- Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298
- Computer simulation of crosswell seismic propagation and determination of elastic parameters. Singh, R.P., Chandra, S., Jha, A.K., and Singh, Y.P., 309
- Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708
08. *Thermal Properties*
- Consolidation thermique par chaleur d'un sol non saturé. Saix, C., 42
- Engineering geology of nearshore areas off Richards Island, N.W.T.: a comparison of stable and actively eroding coastlines. Kurfurst, P.J., and Dallimore, S.R., 179
- Measurement of soil strength in simple shear tests. Atkinson, J.H., Lau, W.H.W., and Powell, J.J.M., 255
- Effect of chloride ions on adsorption of cadmium from a landfill leachate. Yong, R.N., and Sheremata, T.W., 378
- Thermal analysis of forced-air and thermosiphon cooling systems for the Inuvik airport expansion. Smith, L.B., Graham, J.P., Nixon, J.F., and Washuta, A.S., 399
- Creep behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 489
- Generalized finite-element algorithm for laterally loaded piles in permafrost in comparison with measurements. Foriero, A., and Ladanyi, B., 523
- Temperature measurements in geotechnical studies using low-noise, high-resolution digital techniques. Woodbury, A.D., Narod, B., Chandra, B., and Bennet, J.R., 639
- Tassement et consolidation au dégel d'un silt argileux à Kangisqualujuaq. Leroueil, S., Dionne, G., et Allard, M., 678
- Effects of frost on the mechanical behaviour of Champlain Sea clays. Leroueil, S., Tardif, J., Roy, M., La Rochelle, P., and Konrad, J.-M., 690
- Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 738
- Cyclical closed-system freeze-thaw permeability testing of soil liner and cover materials. Wong, L.C., and Haug, M.D., 784
- Comportement de la membrane d'argile d'un étang aéré en région froide. Leroueil, S., Savard, Y., et Bouchard, R., 818
- Discrete ice lens theory for frost heave in soils. Nixon, J.F., 843
- Freezing and thawing indices in northern Canada. McCormick, G., 899
- Erratum: Permafrost and thermal interfaces from Norman Wells pipeline ditchwall logs. Nixon, J.F., Saunders, R., and Smith, J., 922
09. *Compactibility*
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Discussion. Juarez-Badillo, E., 171
- Laboratory permeability tests on sand: influence of the compaction method on anisotropy. Reply. Chapuis, R.P., Gill, D.E., and Baass, K., 172
- The pressure of clay backfill against retaining structures. Clayton, C.R.I., Symons, I.F., and Hiedra-Cobo, J.C., 282
- Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill. Indraratna, B., Nulatalaya, P., Koo, K.S., and Kuganenthira, N., 542
10. *Properties of Soil-Additive Mixtures*
- Mechanistic evaluation of mitigation of petroleum hydrocarbon contamination by soil medium. Yong, R.N., and Rao, S.M., 84
- The permeability of soils with organic fluids. Budhu, M., Giese Jr., R.F., Campbell, G., and Baumgrass, L., 140
- Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill. Indraratna, B., Nulatalaya, P., Koo, K.S., and Kuganenthira, N., 542
- Behaviour of cemented sandfills under repeated loadings. Nnadi, G.N., and Mitchell, R.J., 746

## E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
- Partial and total factors of safety in anchored sheet pile design. Valsangkar, A.J., and Schriver, A.B., 812
02. *Deformation and Settlement Problems*
- Change in pore size distribution owing to secondary consolidation of clays. Griffiths, F.J., and Joshi, R.C., 20
- An analysis of three-dimensional ground movements: the Thunder Bay tunnel. Lee, K.M., and Rowe, R.K., 25
- Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Incullet, I.I., 74
- Comparison of field consolidation with laboratory and *in situ* tests. Crawford, C.B., and Campanella, R.G., 103



- Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189  
 Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322  
 Thirty years of secondary consolidation in sensitive marine clay: Discussion. Juárez-Badillo, E., 466  
 Thirty years of secondary consolidation in sensitive marine clay: Reply. Crawford, C.B., and Bozozuk, M., 468  
 Nonlinear stress analysis of muskeg via finite element. Yong, R.N., Mohamed, A.M.O., and Tali, R.G., 613  
 Erratum: Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., Byrne, P.M., and Vaziri, H.H., 638  
 Tassement et consolidation au dégel d'un silt argileux à Kangiqsualujuaq. Leroueil, S., Dionne, G., et Allard, M., 678  
 Performance of piles with enlarged bases subject to uplift forces: Discussion. Ghaly, A., and Hanna, A., 760  
 Performance of piles with enlarged bases subject to uplift forces: Reply. Dickin, E.A., and Leung, C.F., 761  
 Reliability analysis of drilled piers in expansive soils. Ferregut, C., and Picornell, M., 834  
 Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study. Bergado, D.T., Shivashankar, R., Sampaco, C.L., Alfaro, M.C., Anderson, L.R., 860
03. *Bearing Capacity of Shallow Foundations*  
 A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Discussion. Easa, S.M., 918  
 A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Reply. Cherubini, C., 919
04. *Bearing Capacity of Piles and other Deep Foundations*  
 A model of soil-pile interaction owing to cyclic loading. Swinianski, J., and Sawicki, A., 11  
 Model pile testing in carbonate sediments of the Red Sea. Baghdadi, Z.A., Ghazali, F.M., and Khan, A.M., 423  
 Comportement, en chambre triaxiale, d'un pieu à frottement dans l'argile. Roy, M., Roy, S., et Dubé, J., 434  
 Generalized finite-element algorithm for laterally loaded piles in permafrost in comparison with measurements. Foriero, A., and Ladanyi, B., 523  
 Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708  
 Effect of seafloor instability on offshore pile foundations. Lee, C.Y., Poulos, H.G., and Hull, T.S., 729  
 Performance of piles with enlarged bases subject to uplift forces: Discussion. Ghaly, A., and Hanna, A., 760  
 Performance of piles with enlarged bases subject to uplift forces: Reply. Dickin, E.A., and Leung, C.F., 761  
 Soil-pile-cap static interaction analysis by finite and infinite elements. Liu, W., and Novak, M., 771  
 Reliability analysis of drilled piers in expansive soils. Ferregut, C., and Picornell, M., 834  
 Bearing capacity of flexible piles under eccentric and inclined loads in layered soil. Yalcin, A.S., and Meyerhof, G.G., 909
05. *Earth Pressure Problems*  
 The pressure of clay backfill against retaining structures. Clayton, C.R.I., Symons, I.F., and Hiedra-Cobo, J.C., 282  
 Laboratory evaluation of  $K_0$  for overconsolidated clays. Garga, V.K., and Khan, M.A., 650  
 Partial and total factors of safety in anchored sheet pile design. Valsangkar, A.J., and Schriver, A.B., 812  
 Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study. Bergado, D.T., Shivashankar, R., Sampaco, C.L., Alfaro, M.C., Anderson, L.R., 860
06. *Stability of Slopes and Excavations*  
 Finite-element analysis of softening effects in fissured, overconsolidated clays and mudstones. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 51  
 The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263  
 Convergence aspect of limit equilibrium methods for slopes: Discussion. Chugh, A.K., 323  
 Convergence aspect of limit equilibrium methods for slopes: Reply. Chowdhury, R.N., and Zhang, S., 324  
 The Hepburn landslide: an interactive slope-stability and seepage analysis. Misfeldt, G.A., Sauer, E.K., and Christiansen, E.A., 556  
 Analysis of a large moist landslide, Lost River Range, Idaho, U.S.A. Shaller, P.J., 584  
 A simplified version of the Bishop and Morgenstern slope-stability charts. Barnes, G.E., 630  
 Erratum: Consolidation analysis of oil sand masses under applied temperature changes. Srithar, T., Byrne, P.M., and Vaziri, H.H., 638  
 A pseudo-two-dimensional seismic analysis of earth dams. Soulié, M., Touileb, B.N., and Silvestri, V., 660  
 Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708  
 The hydraulics problem in slope stability analysis. Windisch, É.J., 903
07. *Seepage and other Hydraulic Problems*  
 Electroosmotic strengthening of soft sensitive clays. Lo, K.Y., Inculet, I.I., and Ho, K.S., 62  
 The permeability of soils with organic fluids. Budhu, M., Giese Jr., R.F., Campbell, G., and Baumgrass, L., 140  
 Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Discussion. Windisch É.J., 320  
 Foundation problems in Champlain clays during droughts. I. Rainfall deficits in Montréal (1930-1988): Reply. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 322  
 Controlling the destructive effects of clay - organic liquid interactions by application of effective stresses. Fernandez, F., and Quigley, R.M., 388

- Numerical simulations to investigate moisture-retention characteristics in the design of oxygen-limiting covers for reactive mine tailings. Akindunni, F.F., Gillham, R.W., and Nicholson, R.V., 446
- The collapse behavior of a compacted soil during inundation. Tadeipalli, R., and Fredlund, D.G., 477
- Creep behavior of fine-grained frozen soils. Wijeweera, H., and Joshi, R.C., 489
- Cyclical closed-system freeze-thaw permeability testing of soil liner and cover materials. Wong, L.C., and Haug, M.D., 784
- Use of drainage wicks for an embankment on slickensided clay. Kack, G.J., Harris, M.C., Chatterji, P.K., Proudfoot, D.W., Trowsdale, D.R., and Thomas, R.R., 794
- Comportement de la membrane d'argile d'un étang aéré en région froide. Leroueil, S., Savard, Y., et Bouchard, R., 818
- Physical modelling of a dissolved contaminant in an unsaturated sand. Cooke, B., and Mitchell, R.J., 829
- The hydraulics problem in slope stability analysis. Windisch, É.J., 903
08. *Dynamic Problems*
- A model of soil-pile interaction owing to cyclic loading. Swinianski, J., and Sawicki, A., 11
- Soil-pile-cap static interaction analysis by finite and infinite elements. Liu, W., and Novak, M., 771
09. *Frost Action and Heat-Transfer Problems*
- Thermal analysis of forced-air and thermosyphon cooling systems for the Inuvik airport expansion. Smith, L.B., Graham, J.P., Nixon, J.F., and Washuta, A.S., 399
- Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord. Benmokrane, B., Ballivy, G., Hernandez, P., et Aitcin, P.-C., 574
- Tassement et consolidation au dégel d'un silt argileux à Kangisualujjuaq. Leroueil, S., Dionne, G., et Allard, M., 678
- Cyclical closed-system freeze-thaw permeability testing of soil liner and cover materials. Wong, L.C., and Haug, M.D., 784
- Discrete ice lens theory for frost heave in soils. Nixon, J.F., 843
- Freezing and thawing indices in northern Canada. McCormick, G., 899
10. *Analysis of Layered Systems and Pavements Behaviour*
- Bearing capacity of flexible piles under eccentric and inclined loads in layered soil. Yalcin, A.S., and Meyerhof, G.G., 909
12. *Soil-Structure Interaction*
- Ice rubble attenuation of ice loads on arctic offshore structures. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 881
13. *Mathematical Methods, Computer Analysis*
- A combined hardening model of anisotropically consolidated cohesive soils. Hirai, H., and Kamei, T., 1
- A model of soil-pile interaction owing to cyclic loading. Swinianski, J., and Sawicki, A., 11
- An analysis of three-dimensional ground movements: the Thunder Bay tunnel. Lee, K.M., and Rowe, R.K., 25
- Finite-element analysis of softening effects in fissured, overconsolidated clays and mudstones. Yoshida, N., Morgenstern, N.R., and Chan, D.H., 51
- Numerical modelling of vertical ground movements in expansive soils. Sattler, P.J., and Fredlund, D.G., 189
- Convergence aspect of limit equilibrium methods for slopes: Discussion. Chugh, A.K., 323
- Convergence aspect of limit equilibrium methods for slopes: Reply. Chowdhury, R.N., and Zhang, S., 324
- Modelling of two-dimensional contaminant migration in a layered and fractured zone beneath landfills. Rowe, R.K., and Booker, J.B., 338
- Experimental and theoretical studies on installation torque of screw anchors. Ghaly, A., and Hanna, A., 353
- Numerical simulations to investigate moisture-retention characteristics in the design of oxygen-limiting covers for reactive mine tailings. Akindunni, F.F., Gillham, R.W., and Nicholson, R.V., 446
- Nonlinear stress analysis of muskeg via finite element. Yong, R.N., Mohamed, A.M.O., and Tali, R.G., 613
- A simplified version of the Bishop and Morgenstern slope-stability charts. Barnes, G.E., 630
- Erratum: Consolidation analysis of oil sand masses under applied temperature changes. Srihar, T., Byrne, P.M., and Vaziri, H.H., 638
- A pseudo-two-dimensional seismic analysis of earth dams. Soulié, M., Touileb, B.N., and Silvestri, V., 660
- Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708
- Effect of seafloor instability on offshore pile foundations. Lee, C.Y., Poulos, H.G., and Hull, T.S., 729
- Soil-pile-cap static interaction analysis by finite and infinite elements. Liu, W., and Novak, M., 771
- A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Discussion. Easa, S.M., 918
- A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Reply. Cherubini, C., 919
14. *Model Test Analysis*
- Consolidation thermique par chaleur d'un sol non saturé. Saix, C., 42
- Selection of operative centrifuge radius to minimize stress error in calculations. Cooke, B., 160
- Centrifuge modelling as a consulting tool. Mitchell, R.J., 162
- Experimental and theoretical studies on installation torque of screw anchors. Ghaly, A., and Hanna, A., 353
- Comportement, en chambre triaxiale, d'un pieu à frottement dans l'argile. Roy, M., Roy, S., et Dubé, J., 434
- Generalized finite-element algorithm for laterally loaded piles in permafrost in comparison with measurements. Foriero, A., and Ladanyi, B., 523
- Performance of piles with enlarged bases subject to uplift forces: Discussion. Ghaly, A., and Hanna, A., 760
- Performance of piles with enlarged bases subject to uplift forces: Reply. Dickin, E.A., and Leung, C.F., 761

- Physical modelling of a dissolved contaminant in an unsaturated sand. Cooke, B., and Mitchell, R.J., 829  
 Bearing capacity of flexible piles under eccentric and inclined loads in layered soil. Yalcin, A.S., and Meyerhof, G.G., 909

### F. Rock Properties: Laboratory and In-Situ Determinations

00. *General*  
 Determination of the fracture toughness of a saturated soft rock: Discussion. Roegiers J.-C., and Zhao, X.L., 470
01. *Classification and Description of Rocks and Rock Masses*  
 Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148
02. *Physico-Chemical Properties*  
 Determination of the fracture toughness of a saturated soft rock: Discussion. Roegiers J.-C., and Zhao, X.L., 470
03. *Composition, Density, and Structural Features*  
 Yielding and damage of intact rock. Ofoegbu, G.I., and Curran, J.H., 503  
 Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698
05. *Compressibility and Swelling*  
 Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719
06. *Shear-Deformation and Strength Properties*  
 Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148  
 Limits to common toppling: Discussion. Bovis, M.J., 463  
 Limits to common toppling: Reply. Cruden, D.M., 465  
 Determination of the fracture toughness of a saturated soft rock: Discussion. Roegiers J.-C., and Zhao, X.L., 470  
 Yielding and damage of intact rock. Ofoegbu, G.I., and Curran, J.H., 503  
 Five-year monitoring of load losses on prestressed cement-grouted rock anchors. Benmokrane, B., and Ballivy, G., 668  
 Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719
08. *Thermal Properties*  
 Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord. Benmokrane, B., Ballivy, G., Hernandez, P., et Aitcin, P.-C., 574

### G. Analysis of Rock-Engineering Problems

02. *Deformation and Displacement Problems*  
 Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148  
 The influence of near face behaviour on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226  
 Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia. Gallant, W.D., and Aston, T.R.C., 327  
 Five-year monitoring of load losses on prestressed cement-grouted rock anchors. Benmokrane, B., and Ballivy, G., 668  
 Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley, B.C. Imrie, A.S., 719
03. *Bearing Capacity of Rock Masses*  
 Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148  
 Yielding and damage of intact rock. Ofoegbu, G.I., and Curran, J.H., 503  
 Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698
05. *Rock Pressure on Tunnels and Underground Openings*  
 The influence of near face behaviour on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226  
 An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 239

- Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia. Gallant, W.D., and Aston, T.R.C., 327
- Five-year monitoring of load losses on prestressed cement-grouted rock anchors. Benmokrane, B., and Ballivy, G., 668
06. *Stability of Rock Slopes and Open Excavations*  
Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia. Gallant, W.D., and Aston, T.R.C., 327
- The Heather Hill landslide: an example of a large scale topping failure in a natural slope. Pritchard, M.A., and Savigny, K.W., 410
- Limits to common toppling: Discussion. Bovis, M.J., 463
- Limits to common toppling: Reply. Cruden, D.M., 465
07. *Seepage and other Hydraulic Problems*  
Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148
09. *Frost Action and Heat-Transfer Problems*  
Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord. Benmokrane, B., Ballivy, G., Hernandez, P., et Aitcin, P.-C., 574
13. *Mathematical Methods, Computer Analysis*  
The influence of near face behaviour on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226
- An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 239
- The Heather Hill landslide: an example of a large scale topping failure in a natural slope. Pritchard, M.A., and Savigny, K.W., 410

## H. Design, Construction, and Behaviour of Engineering Works

00. *General*  
Thirty years of secondary consolidation in sensitive marine clay: Discussion. Juárez-Badillo, E., 466
- Thirty years of secondary consolidation in sensitive marine clay: Reply. Crawford, C.B., and Bozozuk, M., 468
01. *Foundations of Structures (other than dams)*  
Design of bored piles in residual soils based on field-performance data. Chang, M.F., and Broms, B.B., 200
- Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298
- Thirty years of secondary consolidation in sensitive marine clay: Discussion. Juárez-Badillo, E., 466
- Thirty years of secondary consolidation in sensitive marine clay: Reply. Crawford, C.B., and Bozozuk, M., 468
- Full-scale studies of the dynamic response of piles embedded in partially frozen soils. Vaziri, H., and Han, Y., 708
- Performance of piles with enlarged bases subject to uplift forces: Discussion. Ghaly, A., and Hanna, A., 760
- Performance of piles with enlarged bases subject to uplift forces: Reply. Dickin, E.A., and Leung, C.F., 761
- Reliability analysis of drilled piers in expansive soils. Ferregut, C., and Picornell, M., 834
- A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Discussion. Easa, S.M., 918
- A closed-form probabilistic solution for evaluating the bearing capacity of shallow foundations: Reply. Cherubini, C., 919
02. *Retaining Structures and Cut-off Walls*  
The pressure of clay backfill against retaining structures. Clayton, C.R.I., Symons, I.F., and Hiedra-Cobo, J.C., 282
- Behavior of a welded wire wall with poor quality, cohesive-friction backfills on soft Bangkok clay: a case study. Bergado, D.T., Shivashankar, R., Sampaco, C.L., Alfaro, M.C., Anderson, L.R., 860
03. *Offshore Structures*  
Influence of placement method on the *in situ* density of hydraulic sand fills: Discussion. Leonards, G.A., Franz, R.J., Sullivan, T.M., and Levergood, J.C., 316
- Influence of placement method on the *in situ* density of hydraulic sand fills: Reply. Sladen, J.A., and Hewitt, K.J., 318
- Model pile testing in carbonate sediments of the Red Sea. Baghdadi, Z.A., Ghazali, F.M., and Khan, A.M., 423
- The Nerlerk berm case history: some considerations for the design of hydraulic sand fills. Konrad, J.-M., 601
- Effect of seafloor instability on offshore pile foundations. Lee, C.Y., Poulos, H.G., and Hull, T.S., 729
- Ice rubble attenuation of ice loads on arctic offshore structures. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 881
04. *Dams and Reservoirs*  
Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148
- Determination of the Oldman River Dam foundation shear strength. Davachi, M.M., Sinclair, B.J., Hartmaier, H.H., Baggott, B.L., and Peters J.E., 698
- Stress-induced response from both natural and construction-related processes in the deepening of the Peace River valley. B.C. Imrie, A.S., 719

Comportement de la membrane d'argile d'un étang aéré en région froide. Leroueil, S., Savard, Y., et Bouchard, R., 818

05. *Tunnels and Underground Openings*  
 An analysis of three-dimensional ground movements: the Thunder Bay tunnel. Lee, K.M., and Rowe, R.K., 25  
 The influence of near face behaviour on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226  
 An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 239  
 Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia. Gallant, W.D., and Aston, T.R.C., 327
06. *Roads, Railroads, and Airfields*  
 Comparison of field consolidation with laboratory and *in situ* tests. Crawford, C.B., and Campanella, R.G., 103
07. *Harbours, Canals, and Coastal Engineering Works*  
 The September 5, 1987, landslide on the La Grande River, James Bay, Quebec, Canada. Lefebvre, G., Rosenberg, P., Paquette, J., and Lavallée, J.G., 263
09. *Slopes and Unsupported Excavations*  
 Analysis of a sanitary-embankment failure over the Rio de Janeiro soft clay deposit. da Cunha, R.P. and Lacerda, W.A., 92  
 Instrumentation and geotechnical monitoring techniques used in the Sydney Coalfield, Nova Scotia. Gallant, W.D., and Aston, T.R.C., 327  
 A simplified version of the Bishop and Morgenstern slope-stability charts. Barnes, G.E., 630  
 Use of drainage wicks for an embankment on slickensided clay. Kack, G.J., Harris, M.C., Chatterji, P.K., Proudfoot, D.W., Trowsdale, D.R., and Thomas, R.R., 794  
 The hydraulics problem in slope stability analysis. Windisch, É.J., 903

## K. Construction Methods and Equipment

02. *Sealing and Grouting Processes*  
 Electroosmotic strengthening of soft sensitive clays. Lo, K.Y., Incullet, I.I., and Ho, K.S., 62  
 Geotechnical appraisal of the foundation rock mass behaviour of Narmada Sagar Dam project, central India: a case study. Choubey, V.D., and Chaudhari, S., 148
03. *Preloading and Soil Replacement*  
 Deep-seated consolidation settlements in the Fraser River delta. Crawford, C.B., McCammon, N.R., and Butler, R.C., 298
05. *Compaction Processes*  
 The pressure of clay backfill against retaining structures. Clayton, C.R.I., Symons, I.F., and Hiedra-Cobo, J.C., 282
06. *Soil Stabilization and Erosion Control*  
 Engineering behaviour of a low carbon, pozzolanic fly ash and its potential as a construction fill. Indraratna, B., Nulalaya, P., Koo, K.S., and Kuganenthira, N., 542
07. *Piles and Pile Driving, incl. Sheet Piles*  
 Design of bored piles in residual soils based on field-performance data. Chang, M.F., and Broms, B.B., 200  
 Partial and total factors of safety in anchored sheet pile design. Valsangkar, A.J., and Schriver, A.B., 812
08. *Construction of Caissons and Deep Piers*  
 Design of bored piles in residual soils based on field-performance data. Chang, M.F., and Broms, B.B., 200
11. *Support of Soil and Rock*  
 The influence of near face behaviour on monitoring of deep tunnels. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 226  
 An interpretation of ground movements recorded during construction of the Donkin-Morien tunnel. Pelli, F., Kaiser, P.K., and Morgenstern, N.R., 239  
 Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord. Benmokrane, B., Ballivy, G., Hernandez, P., et Aitcin, P.-C., 574  
 Five-year monitoring of load losses on prestressed cement-grouted rock anchors. Benmokrane, B., and Ballivy, G., 668  
 Partial and total factors of safety in anchored sheet pile design. Valsangkar, A.J., and Schriver, A.B., 812
12. *Offshore Construction*  
 Influence of placement method on the *in situ* density of hydraulic sand fills: Discussion. Leonards, G.A., Franz, R.J., Sullivan, T.M., and Levergood, J.C., 316



- Influence of placement method on the *in situ* density of hydraulic sand fills: Reply. Sladen, J.A., and Hewitt, K.J., 318  
Effect of seafloor instability on offshore pile foundations. Lee, C.Y., Poulos, H.G., and Hull, T.S., 729  
Ice rubble attenuation of ice loads on arctic offshore structures. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 881
13. *Protection Measures against Frost*  
Nouveau coulis à base de ciment pour le scellement d'ancrages dans le roc gelé du Grand Nord. Benmokrane, B., Ballivy, G., Hernandez, P., et Aitcin, P.-C., 574
14. *Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations*  
Electroosmotic strengthening of soft sensitive clays. Lo, K.Y., Incullet, I.I., and Ho, K.S., 62  
Field test of electroosmotic strengthening of soft sensitive clay. Lo, K.Y., Ho, K.S., and Incullet, I.I., 74  
The effects of electroosmotic field treatment on the soil properties of a soft sensitive clay. Lo, K.Y., and Ho, K.S., 763

### S. Snow and Ice Mechanics and Engineering

02. *Properties of Snow and Ice*  
Behaviour of broken ice as a geomaterial. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 451  
The role that fracture plays during ice failure. Marcellus, R.W., and Heuff, D.N., 752  
Centrifuge modelling of ice and brittle materials. Palmer, A., 896
03. *Snow and Ice Engineering*  
Behaviour of broken ice as a geomaterial. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 451  
The role that fracture plays during ice failure. Marcellus, R.W., and Heuff, D.N., 752  
Ice rubble attenuation of ice loads on arctic offshore structures. Wong, T.T., Morgenstern, N.R., and Sego, D.C., 881  
Centrifuge modelling of ice and brittle materials. Palmer, A., 896

